



HENAN
河南科技 TECHNOLOGY



河南省振源科技有限公司
Henan Zhenyuan Science & Technology Co.,Ltd.

Add: National Xinxiang Economical&Technical Development Zone

Tel: +86-373-3663336 +86-373-3663285 Fax: +86-373-3663296

Email: info@cementcrusher.com

Website: www.cementcrusher.com

河南省振源科技有限公司
Henan Zhenyuan Science & Technology Co.,Ltd.



企业简介

Enterprise Introduction



河南省振源科技有限公司，是专业从事矿用机械设备的国家级高新技术企业，主要产品有：破碎站、双齿辊破碎机、甲带给料机、大型振动筛分设备、各种系列给料设备及相关配件等。产品广泛应用于煤炭、矿山、电力、冶金、化工等行业，远销东南亚、南亚等地区。凭着质量过硬的产品和周到的服务，积累了良好的市场信誉，并获得了广大客户的信任和好评。

地处黄河之北岸，国家新乡经济技术开发区，占地面积260亩，建筑面积10.9万m²。公司现有员工690人，其中行业专家3名，高级技术人员80人，中级技术人员120人，公司总资产4.38亿元。

公司拥有科学的质量管理体系和先进的产品质量检测手段，在同行业率先通过了ISO9001质量管理体系认证，产品质量始终保持在同行业领先水平。公司拥有三十余项国家专利，曾多次荣获国家、省部级科技奖。

以“不断创新、服务至上、笃守信誉”为企业宗旨；以“创世界一流产品”为己任。公司坚持以市场为导向，以顾客满意为目的，追求卓越绩效并持续改进，以一流的产品，一流的服务创一流的业绩。热烈欢迎各界人士精诚合作，共同创造辉煌的明天，实现和谐共赢！

Henan Zhenyuan Science & Technology Co.,Ltd. Is a hi-tech enterprise specializing in manufacturing mining machinery, Our main products include:crushing station, 2PLF teeth-roller crusher, armored belt feeder, large vibrating screen equipments, various series feeding equipments and related spare parts , which are widely used in coal, metallurgy, mine, electri city, chemical industry etc. Our products were exported to Southeast Asian countries, south Asian and other countries.We gained favorable comment and trust from customers with our high quality products and considerate service, winning noble reputation in the market.

Located on the north bank of the Yellow River, east of Xinxiang City.Our company occupies an area of 109,000.00 square meters, with 690 staffs, among which there are 3 specialists, 80 senior technicians and 120 middle class technicians, and capital asset ¥438,000,000.

We have scientific QC system and passed the ISO9001 quality control system, firstly among fellow companies. With advanced quality testing methods, our products in the industry has maintained the top level. More than 30 national patents have been awarded,and many science and technology prizes have been awarded by State and Provincial governments.

We abide by“ Unceasing innovation, excellent service, keeping reputation”, and always take the market as a guide, trying our best to satisfy customers, pursue super excellence and insist on continual improvement. To create prominent achievement with first-class products and first-class service. We are sincerely hope to cooperate with friends from at home and abroad to create a glorious tomorrow and realize our common aim of “Harmony and Win-win”!

服务全球
Service Worldwide



加工设备
PROCESSING EQUIPMENTS



大型立车
Heavy Duty Vertical Lathe



龙门铣床
Gantry Boring And Milling Machine



抛丸机
Shot Blasting Machine



数显落地铣镗床
Significant Number Of Boring And Milling Machine



数控加工区
CNC Processing Area






数控等离子切割机
CNC Plasma Cutting Machine

实用新型专利证书
UTILITY MODEL PROFESSIONAL CERTIFICATES



企业荣誉
COMPANY HONOR



ZYQS系列强力(高幅)振动筛

ZYQS Series Strong Force(High Amplitude)Vibrating Screen



用途及特点 Applications and Features

ZYQS系列强力(高幅)振动筛是为解决湿粘物料深度筛分而研发的筛分设备，解决了小于10mm湿粘原煤筛分的筛网堵孔问题；该设备具有筛分效率高、不堵孔、处理能力强、使用经济等特点。该振动筛适用于煤炭（粒度分级）、电力（CFB锅炉细颗粒筛分）、冶金（粒度分级）等行业。

ZYQS series strong force(high amplitude)vibrating screen is a newly research and development screening equipment,which is to solve the depth screening problem of the wet sticky material,solve the problem of plugging sieve pore when sieving the wet sticky raw coal which is less than 10mm.It is characterized by a high screening efficiency,not blocking the sieve pore,strong sieving capacity and low cost,etc.It mainly applies to coal (particle size classification), power (CFB boiler screening fine particles), metallurgy (size grading) and other industries.

ZYQS系列强力(高幅)振动筛通过大振幅、大振动强度、较低振频和自清理筛面来完成湿粘物料的筛分过程，主要结构特点：分段筛分、筛机整体不振动，筛网振动；自清理筛面、封闭式结构、大振幅低动载荷；易维护、互换性强、运行成本较低。

ZYQS series strong force(high amplitude)vibrating screen complete the screening process of wet sticky material by large amplitude and vibration intensity,low vibration frequency and self-cleaning screen surface.Main structure features: Segmented screening, screening machine as a whole is not vibration,screen vibration, self-cleaning screen surface,closed structure,large amplitude and low dynamic load; easy to maintain, high interchangeability, low running costs.

选型注意事项 Notes

- 1、本筛机可根据用户现场要求进行非标制作。
- 2、选用时应注明筛孔尺寸。
- 3、电动机电压需注明（380/660v、660/1140v）。
- 1、It can be manufactured according to the customers requirements for non-standard product
- 2、Mesh size should be indicated when place an order.
- 3、The voltage of the motor should be indicated when place an order（380/660v、660/1140v）

技术参数 Technical Parameters

序号 No.	型号 Model	筛面 Screening surface				给料粒度(mm) Feeding grain size	处理能力 (m³/h) Capacity	电机 Motor	
		层数 Deck	面积(m²) Area	筛面倾角(°) Inclination	筛孔尺寸(mm) Mesh Size			功率(kw) Power	数量 Qty
1	ZYQS-1520	1	3.0	20	5-80	<300	50-250	7.5	1
2	ZYQS-1536	1	5.4	20	5-80	<300	100-400	7.5	2
3	ZYQS-1850	1	9.0	20	5-80	<300	180-650	7.5	3
4	ZYQS-2050	1	10.0	20	5-80	<300	250-800	7.5	3
5	ZYQS-2560	1	15.0	20	5-80	<300	320-1200	11	3
6	ZYQS-2876	1	21.28	22	5-80	<300	380-1500	11	4
7	ZYQS-3085	1	25.5	22	5-80	<300	420-2000	11	5
8	ZYQS-30100	1	30.0	22	5-80	<300	450-2200	11	6
9	ZYQS-3685	1	30.6	22	5-80	<300	480-2500	11	6
10	ZYQS-36100	1	36.0	22	5-80	<300	500-2800	11	7
11	ZYQS-4085	1	34.0	22	5-80	<300	550-3000	11	6
12	ZYQS-40120	1	48.0	22	5-80	<300	650-3800	11	8



窑街煤电集团金河矿使用现场 Yaojie Coal and Electrical Group Jinhe Mining Working Site