



HENAN
河南科技 TECHNOLOGY



河南省振源科技有限公司
Henan Zhenyuan Science & Technology Co.,Ltd.

Add: National Xinxiang Economical&Technical Development Zone

Tel: +86-373-3663336 +86-373-3663285 Fax: +86-373-3663296

Email: info@cementcrusher.com

Website: www.cementcrusher.com



河南省振源科技有限公司
Henan Zhenyuan Science & Technology Co.,Ltd.



企业简介

Enterprise Introduction



河南省振源科技有限公司，是专业从事矿用机械设备的国家级高新技术企业，主要产品有：破碎站、双齿辊破碎机、甲带给料机、大型振动筛分设备、各种系列给料设备及相关配件等。产品广泛应用于煤炭、矿山、电力、冶金、化工等行业，远销东南亚、南亚等地区。凭着质量过硬的产品和周到的服务，积累了良好的市场信誉，并获得了广大客户的信任和好评。

地处黄河之北岸，国家新乡经济技术开发区，占地面积260亩，建筑面积10.9万m²。公司现有员工690人，其中行业专家3名，高级技术人员80人，中级技术人员120人，公司总资产4.38亿元。

公司拥有科学的质量管理体系和先进的产品质量检测手段，在同行业率先通过了ISO9001质量管理体系认证，产品质量始终保持在同行业领先水平。公司拥有三十余项国家专利，曾多次荣获国家、省部级科技奖。

以“不断创新、服务至上、笃守信誉”为企业宗旨；以“创世界一流产品”为己任。公司坚持以市场为导向，以顾客满意为目的，追求卓越绩效并持续改进，以一流的产品，一流的服务创一流的业绩。热烈欢迎各界人士精诚合作，共同创造辉煌的明天，实现和谐共赢！

Henan Zhenyuan Science & Technology Co.,Ltd. is a hi-tech enterprise specializing in manufacturing mining machinery, Our main products include:crushing station, 2PLF teeth-roller crusher, armored belt feeder, large vibrating screen equipments, various series feeding equipments and related spare parts , which are widely used in coal, metallurgy, mine, electri city, chemical industry etc. Our products were exported to Southeast Asian countries, south Asian and other countries.We gained favorable comment and trust from customers with our high quality products and considerate service, winning noble reputation in the market.

Located on the north bank of the Yellow River, east of Xinxiang City.Our company occupies an area of 109,000.00 square meters, with 690 staffs, among which there are 3 specialists, 80 senior technicians and 120 middle class technicians, and capital asset ¥438,000,000.

We have scientific QC system and passed the ISO9001 quality control system, firstly among fellow companies. With advanced quality testing methods, our products in the industry has maintained the top level. More than 30 national patents have been awarded,and many science and technology prizes have been awarded by State and Provincial governments.

We abide by“ Unceasing innovation, excellent service, keeping reputation”, and always take the market as a guide, trying our best to satisfy customers, pursue super excellence and insist on continual improvement. To create prominent achievement with first-class products and first-class service. We are sincerely hope to cooperate with friends from at home and abroad to create a glorious tomorrow and realize our common aim of “Harmony and Win-win”!

服务全球
Service Worldwide



加工设备
PROCESSING EQUIPMENTS



大型立车
Heavy Duty Vertical Lathe



龙门铣床
Gantry Boring And Milling Machine



抛丸机
Shot Blasting Machine



数显落地铣镗床
Significant Number Of Boring And Milling Machine



数控加工区
CNC Processing Area






数控等离子切割机
CNC Plasma Cutting Machine

实用新型专利证书
UTILITY MODEL PROFESSIONAL CERTIFICATES



企业荣誉
COMPANY HONOR



DZX系列大型直线振动筛

DZX Series Large Linear Vibrating Screen



用途及特点 Applications and Features

DZX系列大型直线振动筛是最新设计的一种筛分机械，主要应用于煤炭、电力等行业，对各种中、细物料进行分级和脱水、脱泥、脱介。该系列振动筛是综合了国外引进的先进技术，并结合国内的实际情况而设计的。筛机技术参数先进，处理能力强，筛分效率高。筛机使用箱式振动器激振，采用振动机械专用轴承，承载能力大，使用寿命长。筛机采用齿轮强迫同步，振动器安装在主梁上，筛机强度高。筛机采用环槽铆钉联接，结构简单、紧凑、牢固、可靠，维护、检修方便。该系列振动筛采用钢制螺旋弹簧减振，过共振区运转平稳，噪声小。

DZX Series Large linear vibrating screen is a kind of latest designed sieving machinery, which is widely used to grading, dewatering, removing medium, desliming for the medium and fine material in Electric power, and Coal Industry. This machine has large capacity and high sieving efficiency. The vibrator with eccentric block is used as vibration source, which makes bearing large carrying capacity and long service life. Self-synchronous working principle is adopted and the vibrator is mounted on the side plate, which provides a good stress condition. The machine is jointed as lockbolt, simple and strong structure, reliable performance, easy maintainance. Rubber spring is used as a buffer, which keeps this machine smooth running and low noise.

选用注意事项 Notes

- 1、筛机分单层和双层。
- 2、筛网结构有条缝、冲孔和聚氨脂等多种筛网，可根据用户要求设计。
- 3、给料箱为选择件，用户无要求，正常供货不供给料箱。
- 4、电机额定电压为380V，可供防爆或不同额定电压的电动机，如选用请在订货时注明。

1. This machine can be designed single or double decks.
2. Screen deck can be bar strip, punching, polyurethane and so on, it can be designed as customers' requirement.
3. No special requirements, Feeding Hopper were not provided
4. The rated voltage of electromotor is 380V. (Explosion-proof motor and other voltage of motor are all optional. Please indicate it when placing order)

技术参数 Technical Parameters

型号 Model	筛面 Screen Surface			给料粒度(mm) Feeding Size	处理能力(m³/h) Capacity	电机 Motor	
	层数 Deck(s)	面积(m²) Area	筛孔尺寸(mm) Mesh Size			功率(kw) Power	数量 Qty
DZX3045	1	13.5	0.25-13	<100	6.2-305	30	1
DZX3052	1	15.6	0.25-13	<100	6.2-305	30	1
2DZX3052	2	15.6*2	Upper3-50 Lower0.25-13	<100	47-680	45	1
DZX3061	1	18.3	0.25-13	<100	6.2-305	37	1
2DZX3061	2	18.3*2	Upper3-50 Lower0.25-13	<100	55-680	45	1
DZX3645	1	16.2	0.25-13	<100	7.4-366	37	1
DZX3652	1	18.7	0.25-13	<100	7.4-366	37	1
2DZX3652	2	18.7*2	Upper3-50 Lower0.25-13	<100	56-830	55	1
DZX3661	1	22	0.25-13	<100	7.4-366	45	1
2DZX3661	2	22*2	Upper3-50 Lower0.25-13	<100	65-830	75	1
DZX3673	1	26	0.25-13	<100	8.5-366	45	1
2DZX3673	2	26.2*2	Upper3-50 Lower0.25-13	<100	78-830	75	1
DZX4361	1	26.23	0.25-13	<100	8.5-366	55	1
DZX4373	1	31.4	0.25-13	<100	11-420	55	1



DZK系列大型直线振动筛

DZK Series Large Linear Vibrating Screen



用途及特点 Applications and Features

DZK系列大型直线振动筛是最新设计的一种筛分机械，主要应用于煤炭、电力等行业对各种中、细物料进行分级和脱水、脱泥、脱介。该系列振动筛是综合了国外引进的先进技术，并结合国内的实际情况而设计的。筛机技术参数先进，处理能力大，筛分效率高。筛机使用块偏心振动器激振，采用振动机械专用轴承，承载能力大，使用寿命长。筛机采用自同步原理，振动器安装在侧板上，受力情况好。筛机采用环槽铆钉联接，结构简单、紧凑、牢固、可靠，维护、检修方便。该系列振动筛采用橡胶弹簧减振，过共振区运转平稳，噪声小。

DZK Series Large linear vibrating screen is a kind of latest designed sieving machinery, which is widely used to grading, dewatering, removing medium, desliming for the medium and fine material in Electric power, and Coal Industry. This machine has large capacity and high sieving efficiency. The vibrator with eccentric block is used as vibration source, which makes bearing large carrying capacity and long service life. Self-synchronous working principle is adopted and the vibrator is mounted on the side plate, which provides a good stress condition. The machine is jointed as lockbolt, simple and strong structure, reliable performance, easy maintainance. Rubber spring is used as a buffer, which keeps this machine smooth running and low noise.

选用注意事项 Notes

- 1、本系列筛机分单层和双层两种。
 - 2、筛网结构有条缝、冲孔和聚氨脂等多种筛网，可根据用户要求设计。
 - 3、电动机额定电压为380V，可用防爆或不同额定电压的电动机，选用时请在订货时注明。
 - 4、可为用户设计制造筛机支座和电动机支座或代购电动机，若选用请在订货时注明。
 - 5、基础螺栓或预埋钢板由用户自备。
1. This machine has single and double decks.
 2. Screen deck can be bar strip, punching, polyurethane and so on, it can be designed as customers' requirement.
 3. The rated voltage of electromotor is 380V. Explosion-proof motor and other voltage of motor are all optional. Please indicate it when placing order.
 4. Screening machine and electromotor supporting device can be designed and manufactured as customer needs. Please indicate it when placing order.
 5. Foundation bolts or embedded steel plate owned by the user.

型号表示方法 Product Model and Definition



技术参数 Technical Parameters

型号 Model	筛面 Screen Surface			给料粒度 Feeding Size (mm)	处理能力 Capacity (m³/h)	电机 Motor	
	层数 Deck	面积 Area (m²)	筛孔尺寸 Mesh Size (mm)			功率 Power(kw)	数量 Qty
DZK3045	1	13.5	0.25-13	<80	6.2-305	15	2
DZK3052	1	15.8	0.25-13	<80	6.2-305	15	2
2DZK3052	2	15.6*2	上Upper3-50 Flower0.25-13	<150	56-680	22	2
DZK3061	1	18.3	0.25-13	<80	6.2-305	18.5	2
2DZK3061	2	18.3*2	上Upper3-50 Flower0.25-13	<150	56-680	22	2
DZK3645	1	16.2	0.25-13	<80	7.4-366	18.5	2
DZK3652	1	18.7	0.25-13	<80	7.4-366	18.5	2
2DZK3652	2	18.7*2	上Upper3-50 Flower0.25-13	<150	68-830	22	2
DZK3661	1	22	0.25-13	<80	7.4-366	22	2
2DZK3661	2	22*2	上Upper3-50 Flower0.25-13	<150	68-830	30	2
DZK3672	1	26	0.25-13	<80	8.6-427	30	2
2DZK3672	2	26*2	上Upper3-50 Flower0.25-13	<150	80-980	37	2