



»» 矿山设备（制砂）系统 解决方案服务商

MINING EQUIPMENT (SAND MAKING) SYSTEM
SOLUTIONS PROVIDER

www.cementcrusher.com



河南省振源科技有限公司

Henan Zhenyuan Science & Technology Co.,Ltd.

Add: Xiaodian Industrial Park, Xinxiang, Henan

Tel: +86-373-3663336 +86-373-3663285

Fax: +86-373-3663296

Email: info@cementcrusher.com

Website: www.cementcrusher.com

河南省振源科技有限公司

Henan Zhenyuan Science & Technology Co.,Ltd.



专心·专注·专业
ATTENTIVELY ABSORBED PROFESSIONAL



公司介绍



河南省振源科技有限公司，是专业从事矿用机械设备的国家级高新技术企业，主要产品有：移动破碎站、制砂机、洗砂机、各种破碎机、振动筛、给料机及相关配件等。产品广泛应用于矿山、碎石、制砂、选矿等行业，远销东南亚、南亚等地区。凭着质量过硬的产品和周到的服务，积累了良好的市场信誉，并获得了广大客户的信任和好评。

地处黄河之北岸，国家新乡经济技术开发区，占地面积260亩，建筑面积10.9万平米。公司现有员工690人，其中行业专家3名，高级技术人员80人，中级技术人员120人，公司总资产4.38亿元。

公司拥有科学的质量管理体系和先进的产品质量检测手段，在同行业率先通过了ISO9001质量管理体系认证，产品质量始终保持同行业领先水平。公司拥有三十余项国家专利，曾多次荣获国家、省部级科技奖。

以“不断创新、服务至上、笃守信誉”为企业宗旨；以“创世界一流产品”为己任。公司坚持以市场为导向，以顾客满意为目的，追求卓越绩效并持续改进，以一流的产品，一流的服务创一流的业绩。热烈欢迎各界人士精诚合作，共同创造辉煌的明天，实现和谐共赢！

Company Introduction



Henan Zhenyuan Science & Technology Co.,Ltd. is a hi-tech enterprise specializing in manufacturing nonferrous metals and coal mining machine, Our main products include:crusher plant, sand making machine , sand washer, crusher, vibrating screen, vibrating feeder, which are widely used in coal, metallurgy, mine, electricity, chemical industry etc. Our products are exported to Southeast Asian countries, South Asian and other countries.We gained favorable comment and trust from customers with our high quality products and considerate service, winning buyer praise in the market.

Located on the north bank of the Yellow River, east of Xinxiang City,Our company occupies an area of 109,000.00 square meters, with 690 staffs, among which there are 3 specialists, 80 senior technicians and 120 middle class technicians, and capital asset ¥438.000.000.

We have scientific QC system and passed the ISO9001 quality control system, firstly among fellow companies. With advanced quality testing methods, our products in the industry has maintained the top level. More than 30 national patents have been awarded,and many science and technology prizes have been awarded by State and Provincial governments.

We abide by“ Unceasing innovation, excellent service, keeping reputation”, and always take the market as a guide, trying our best to satisfy customers, pursue super excellence and insist on continual improvement. To create prominent achievement with first-class products and first-class service. We are sincerely hope to cooperate with friends from home and abroad to create a glorious tomorrow and realize our common aim of “Harmony and Win-win”!



IMPROVER THE QUALITY SERVE THE WORLD

With high quality products and considerate service, our products have been exported to Southeast Asia, South Asia and other countries and regions, and continue to extend to the rest of the world in Africa, Europe, also establishing longterm and full cooperation, common development, hand in hand and winwin. We will always adhere to the ideas, enthusiastic attitude and integrity is reflected in presale, sale, aftersale services centers, and foreign sales service centers, technical centers, multilevel, multinetwork of fast and convenient service network, the product is worth the additional value to maximize, to show the world China power.

提升品质 服务全球

凭着质量过硬的产品和周到的服务，公司产品已经远销东南亚、南亚等国家和地区，并不断延伸至非洲、欧洲等世界各地，建立长期、全面的合作关系，共同发展，携手共赢。我们将坚持一贯的理念，以热情和诚信的态度体现于售前、售中、售后服务全过程，驻外销售服务中心、技术中心等多层次、多网点的快速便捷服务网络，使产品附加值得到最大化，向世界展示中国力量。



印度尼西亚客户



意大利客户



俄罗斯客户



越南客户



土耳其客户



意大利·达涅利集团客户



阿尔及利亚客户



资质荣誉 Qualification Honors



加工设备 Product Equipments



龙门镗床
Gantry Boring Machine

数显落地铣镗床
Significant Number Of Boring And Milling Machine

抛丸机
Shot Blasting Machine



大型立车
Heavy Duty Vertical Lathe

大型卧式车床
Large Horizontal Lathe

大型热处理设备
Large-scale Heat Treatment Equipment



数控加工区
CNC Processing Area

龙门铣床
Gantry Boring And

数控等离子切割机
NC Plasma Cutting Machine

PCL立轴冲击式破碎机(制砂机)

▼ PCL SERIES VERTICAL SHAFT IMPACT CRUSHER (SAND MAKING MACHINES)

PCL立轴冲击式破碎机由我公司资深工程师研制,吸取了美国巴马克公司同类产品的先进技术,是具有国际先进水平的高能低耗设备,性能卓越,在矿石细碎中起着不可替代的作用。该机可广泛用于各种矿石、水泥、耐火材料、铝矾土熟料、金钢砂、玻璃原料、机制建筑砂、石料以及各种冶金矿渣等物料的破碎,尤其对碳化硅、金钢砂、烧结铝矾土、镁砂等高硬、特硬及耐磨蚀性物料,具有比其它类型的破碎机更高的产量功效。

PCL Vertical Shaft Impact Crusher with features of high-efficiency and energy-saving, which is designed by our professional engineers, absorbing the advanced techniques of the same products, plays an important role in crushing machinery. This series product is widely used in crushing various kinds of mine, cement, fire-proof materials, bauxite, corundum, glass raw materials, building sand, stone materials, and other metallurgical slag. It is especially efficient to crush harder materials, such as carborundum, corundum, and magnesium sand, better in capacity than that of other crushers.



性能特点 / PERFORMANCE FEATURE

- 1、独特轴承安装与先进的主轴设计,使本机具有重负荷和高速旋转的特点,具有细碎、粗磨功能。
- 2、采用国内外优质的耐磨材料,使用寿命长。少量用特硬耐磨材质制成,体积小、重量轻、便于更换。
- 3、产品呈立方体,堆积密度大,铁污染小。可作石料整形机。

- 1.Unique bearing installation and advanced spindle design, which make the machine has the characteristics of heavy load and high speed, with functions of finely and coarse grinding.
- 2.Using high-quality wear-resistant materials at home and abroad, the working life is longer. A few made of special hard wear-resistant material, small volume, light weight, easy to replace.
- 3.Products are in the cube, big bulk density, iron pollution is small, can use as stone plastic machine.

规格与性能参数表 / SPECIFICATION AND TECHNICAL PARAMETER

型号 Model	叶轮转速(转/分钟) Impeller Speed (r/min)	最大进料粒度(毫米) Max. Feeding Size(mm)	处理量(吨/小时) Capacity(t/h)	电动机型号 Model of Motor	电机功率(千瓦) Motor Power (kw)	外形尺寸(毫米)长×宽×高 Overall Dimension (L×W×H) (mm)
PCL-600	2000-2600	26	12-30	Y200L1-2	2×30	2800×1460×2030
PCL-600B	2000-2600	26	12-50	Y200L2-2	2×37	2800×1460×2030
PCL-750	1500-2500	35	26-65	Y225M-4	2×45	3300×1800×2440
PCL-900	1300-1700	35	55-120	Y250M-4	2×75	3750×2120×2660
PCL-900B	1000-1450	40	60-150	Y280M-4	2×90	3750×2120×2660
PCL-1050	1000-1700	40	100-160	Y315S-4	2×110	4480×2450×2906
PCL-1250	950-1200	40	100-260	Y315M-4	2×132	4563×2650×3176
PCL-1350	800-1200	60	160-360	Y315L2-4	2×200	5340×2940×3650

GZD、ZSW振动给料机

▼ GZD AND ZSW VIBRATING FEEDER

我公司生产的振动给料机分为GZD系列和ZSW系列。

GZD系列振动给料机以振动电机为激振源,结构简单、处理量大、故障率低,广泛应用于砂石料、冶金、耐材破碎等领域。

ZSW系列振动给料机是以偏心轴激振器为激振源,齿轮传动。

Our Vibrating Feeder has GZD Series and ZSW Series. GZD Series Vibrating Feeder adopts vibration motor as the source of vibration, which has features of simple structure, high capacity, low maintenance. It can be widely used in the fields of stone crushing, metallurgy, construction, etc. While, ZSW Series Vibrating Feeder adopts eccentric block as the source of vibration, gear drive by turns which has low vibrating noise, smooth operation, long usage. It can also pre-screening fine raw materials which makes higher efficiency, the designing of adjustable fence can prevent the materials from blocking in the gap.



性能特点 / PERFORMANCE FEATURE

- 1、结构简单,无转动零部件,易损件少,耗电少,节能显著。
- 2、特殊篦条设计,可防止物料堵塞,并且起到对物料初级筛选,提高生产率。
- 3、体积小、重量轻、简单紧凑、投资较少、性价比高。

- 1.Simple structure, no rotating parts, less wearing parts, less power consumption, energy saving is obvious.
- 2.Special grid section design, it can prevent the material from blocking, and screen materials in the primary stage, and improve the production.
- 3.Small volume and light weight, simple and compact, less investment, high cost performance.

规格与性能参数表 / SPECIFICATION AND TECHNICAL PARAMETER

型号 Model	最大进料粒度(毫米) Max. Feeding Size(mm)	处理能力(吨/小时) Capacity(t/h)	电动机极数 Motor Power Pole	电动机功率(千瓦) Power(kw)	安装倾角(度) Installation Angle(°)	料槽尺寸(毫米) Size of Funnel (mm)	机器重量(吨) Machinery Weight(t)	外形尺寸(毫米)长×宽×高 Overall Dimension (L×W×H) (mm)
GZD-180×80	300	30-80	4	2×1.5	0-10	1800×800	0.8	1907×964×890
GZD-300×90	400	40-100	4	2×2.2	0-10	3000×900	1.5	3400×1020×900
ZSW-300×90	450	50-150	6	7.5	0-10	3000×900	3.5	3080×1650×1180
ZSW-380×96	500	120-210	6	11	0-10	3800×960	4.2	3880×1724×1180
ZSW-420×110	650	180-400	6	15	0-10	4200×1100	4.8	4200×1804×1180
ZSW-490×110	650	250-480	6	15	0-10	4900×1100	5.3	4976×1864×1180
ZSW-490×130	800	300-550	6	22	0-10	4900×1300	6.7	4976×2064×1180
ZSW-600×130	800	340-600	6	30	0-10	6000×1300	7.8	6100×2004×1250
ZSW-600×160	1050	400-800	4	37	0-10	6000×1600	10.8	6400×3085×2395